



REFERENCE

1. BCBS 2011-2012
2. Taylor, D Congenital cataract: the history and the practice, *Journal Of Eye*. 1998,12 9-36
3. *Ophthalmology Clinical Signs and differential diagnosis*. Jack J Kanski, Ken K Nischal.
4. *The Wills Eye Manual. Office and Emergency Room. Diagnosis and treatment of Eye Disease*. Fifth edition
5. Birch E et al. *Early Treatment of congenital Unilateral Cataract Minimizes Unequal Competition*. IOVS
6. Graw J Congenital Hereditary Cataract *Int J Dev Biol*. 48: 1031-1044.
7. *UpToDate*.
8. Fledelius, Christensen. Reappraisal of human ocular growth curve. *BJO* 96;80:918
9. Mutti et al. Axial growth and changes in lenticular and corneal power during emmetropization. *IOVS* 05;46:3074
10. Loyd IC, Ashworth J, Biswas S, Abadi RV. Advances in the management of congenital and infantile cataract. *Eye (London)* 2007 Oct;21(10):1301-9.
11. Hosal & Biglan. Risk factors for secondary membrane formation after removal of paediatric cataract. *JCRS* 02;28:302
12. Basti et al. Results of a prospective evaluation of three methods of management of paediatric cataract. *Ophthalmology* 96;103:713
13. Vasavada et al. Primary posterior capsulorhexis with and without anterior vitrectomy in congenital cataracts. *JCRS* 97;23:645
14. Koch & Kohnen. Retrospective comparison of techniques to prevent secondary cataract formation after posterior chamber IOL in infants and children. *JCRS* 97;23:657
15. Ben Ezra et al. Posterior capsulectomy in paediatric cataract surgery; the necessity of a choice. *Ophthalmology* 97;104:2168.
16. Lloyd, Kriss, Speedwell, Thompson, Russell-Eggitt et al. Modulation of amblyopia therapy following early surgery for unilateral congenital cataracts. *Br. J. Ophthalmol*. 1995;79;802-806
17. The Infant Aphakia Treatment Study Group. The infant Aphakia Treatment Study: Design and Clinical Measures at Enrollment. *Arch Ophthalmol*. 128(1):N21-27.2010

CE #: 807

Origination: 5/2016

Revised Dates:

This clinical guideline is a collaborative care plan and is not intended to be construed or to serve as a standard of medical care. Rather, it is intended as a guideline to promote coordination and communication with respect to patient care and may be modified to meet individual care needs. For additional information please contact the Department of Clinical Effectiveness & Quality at 412/692-7645. ©Children's Hospital of Pittsburgh of UPMC, 2014